

INDEX MAPS.

T. 8N, R. 5E. 2<sup>nd</sup> Mer.

	462		463		463		463		464		464	
466	6	458	5	482	4	478	3	474	2	470	1	460 462
	<del>488</del>		<del>487</del>		<del>482</del>		<del>478</del>		<del>474</del>		<del>470</del>	
466	7	487	8	481	9	478	10	474	11	470	12	460 462
	<del>487</del>		<del>486</del>		<del>481</del>		<del>477</del>		<del>473</del>		<del>469</del>	
466	18	486	17	481	16	477	15	473	14	469	13	460 461
	<del>485</del>		<del>485</del>		<del>480</del>		<del>476</del>		<del>472</del>		<del>469</del>	
465	19	485	20	480	21	476	22	472	23	468	24	460 461
	<del>484</del>		<del>484</del>		<del>480</del>		<del>476</del>		<del>472</del>		<del>468</del>	
465	30	484	29	479	28	475	27	471	26	468	25	460 461
	<del>483</del>		<del>483</del>		<del>479</del>		<del>475</del>		<del>471</del>		<del>467</del>	
465	31	483	32	479	33	475	34	471	35	467	36	460
	457-459		457-459		457-459		457-458		457-458		458	

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

457

Township N. 8 N, Range N. 5 E. 2. Mer. Indiana  
ch. Lk.

South Boundary var. 7.00' E.

East On Rand<sup>m</sup> S. boundary 31

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

59.96 a Brook 10 lks. wide Course S. W.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 31 & 32, T 8 N, R 5 E.

This mile over with Beech & Hickory land  
undergrowth Spruce.

---

East On Rand<sup>m</sup> S. boundary of Sec. 32

32.55 a Brook 7 lks. wide Course S. W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

68.60 a Brook 4 lks. wide Course S. W.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 32 & 33, T 8 N, R 5 E.

Land timber &c. same as on the last mile

---

East On Rand<sup>m</sup> S. boundary of Sec. 33

37.59 a Brook 3 lks. wide Course S. W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

65.00 a Brook 5 lks. wide Course South

80.00 Set temp<sup>y</sup>. Corner, to Sec. 33 & 34, T 8 N, R 5 E.

This mile over rolling land, timber Beech,  
Poplar &c. undergrowth Spruce.

---

East On Rand<sup>m</sup> S. boundary of Sec. 34

38.00 a Brook 4 lks. wide Course S. E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Cor. to Sec. 34 & 35, T 8 N, R 5 E.

Over rolling land, timber Beech, Oak, Poplar  
&c. undergrowth Spruce.

---

East On Rand<sup>m</sup> S. boundary of Sec. 35

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

44.50 a Creek 50 lks. wide Course South

T8N R5E, 2<sup>d</sup>. Mer. IndianaCh. L<sub>2</sub>.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 35 & 36, T8N. R5E.  
Over level wet land, timber Beech, (Maple  
&c. including <sup>th</sup> Spruce &c.

East On Rand<sup>m</sup>. S. boundary of Sec. 36.

35.57 a Brook 5<sup>th</sup> wide Course S.W.

40.00 Set temp<sup>y</sup>. gr. Sec. post

84.25 Intersected the Range line between Ranges  
5 & 6 East of Town 7 & 8 N.  
(description of Land &c. Omitted)

Nest On true line S. boundary of Sec. 36

15.80 a Hickory 15 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray N 73 E 20 lks. dist. of  
a No. 6 " " " N 79 W 14 " "

50.04 a Beech 20 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 35 & 36, from which  
a Beech 8 in. dia. bray S 42 E 29 lks. dist. of  
a Poplar 10 " " " S 43 W 21 " "

Nest On true line S. boundary of Sec. 35

21.80 a Poplar 40 in. dia. bray

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray S 59 W 6 lks. dist. of  
no other tree

50.32 an Oak 36 in. dia.

80.00 Set post Cor. to Sec<sup>s</sup>. 34 & 35, from which  
a Beech 12 in. dia. bray N 37 E 24 lks. dist. of  
a No. 30 " " " N 80 W 16 " "

Nest On true line S. boundary of Sec. 34

9.16 a Beech 18 in. dia.

T8 N. R5 E. 2<sup>nd</sup> Mer. Indiana

459

Ch. Lts.

40.00 Set q. Sec. post, from which  
a Beech 12 in. diam. bray S87 E 10 lks. dist. of  
a do. 16 " " " S80 W 20 " "  
80.00 Set post Cor. to Sect. 33 of 34, from which  
a Beech 30 in. diam. bray N82 W 14 lks. dist. of  
a do. 24 " " " East 8 " "

Nest On true line S. boundary of Sec. 33

33.65 a Beech 15 in. diam.

40.00 Set q. Sec. post, from which  
a Beech 36 in. diam. bray N70 E 11 lks. dist. of  
a do. 14 " " " N56 W 11 " "

80.00 Set post Cor. to Sect. 32 of 33, from which  
a Beech 10 in. diam. bray S82 E 36 lks. dist. of  
a do. 12 " " " S77 W 33

Nest On true line S. boundary of Sec. 32

40.00 Set q. Sec. post, from which  
a Beech 14 in. diam. bray N50 E 4 lks. dist. of  
a do. 12 " " " N60 W 16 " "

41.82 a Beech 12 " "

80.00 Set post Cor. to Sect. 31 of 32, from which  
a Beech 14 in. diam. bray N23 E. — lks. dist. of  
a do. 12 " " " N88 W 23 " "

Nest On true line S. boundary of Sec. 31

40.00 Set q. Sec. post, from which  
a W. Oak 10 in. diam. bray S21 W 18 lks. dist. of  
a do. 12 " " " N9 E 18 " "

82.06 Intersected the Range line at town  
Corner. June 8<sup>th</sup> 1819

East Boundary



T8N R5E. 2<sup>d</sup> Mer. Indianach. 1<sup>st</sup> 1<sup>st</sup> 1<sup>st</sup>South On Rand<sup>m</sup>. E. boundary of Sec. 19.75 Intersect E. Fork of White river keep the channel  
Course of River South

30.00 leave the river running S. E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 Set temp<sup>y</sup>. Cor. to Sec. 1 & 12, T8N. R5E.Over level low grounds, timber Ash, Hackberry  
Walnut &c. under<sup>g</sup>. Spruce.South On Rand<sup>m</sup>. E. boundary of Sec. 1240.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 Set temp<sup>y</sup>. Corner to Sec. 12 & 13, T8N. R5E.South On Rand<sup>m</sup>. E. boundary of Sec. 1340.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 Set temp<sup>y</sup>. Cor. to Sec. 13 & 24, T8N. R5E.South On Rand<sup>m</sup>. E. boundary of Sec. 2440.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 Set temp<sup>y</sup>. Corner to Sec. 24 & 25, T8N. R5E.South On Rand<sup>m</sup>. E. boundary of Sec. 2540.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 Set temp<sup>y</sup>. Cor. to Sec. 25 & 36, T8N. R5E.South On Rand<sup>m</sup>. E. boundary of Sec. 3640.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post78.16 Intersected the E. & W. line between Towns 7 & 8  
N, 260 l<sup>y</sup>. E. of the Corner. June 7<sup>th</sup> 1819

Variation 6° 45' E.

North On true line E. boundary of Sec. 36

40.00 Set q<sup>r</sup>. Sec. post, from which

# T8N R5E. 2.<sup>nd</sup> Mer. Indiana

461

ch. Lks.

a Gum 8 in. dia. bray S33 $\frac{1}{2}$ W 17 lks. dist. of  
 a Beech 7 " " " N69E 20 " "  
 80.00 Set post Cor. to Sec. 25 of 36, from which  
 a Hickory 6 in. dia. bray N64W 17 lks. dist. of  
 a Do. 9 " " " S83 $\frac{1}{2}$ E 13 " "  
 Over level low ground, timber Beech, Hickory  
 Oak &c. undug<sup>th</sup> the same

---

North On true line E. boundary of Sec. 25

40.00 Set q. Sec. post, from which  
 a W. Oak 30 in. dia. bray S51W 19 lks. dist. of  
 a Beech 15 " " " N30E 18 " "  
 80.00 Set post Cor. to Sec. 24 of 25, from which  
 a Beech 24 in. dia. bray S29W 15 lks. dist. of  
 a Do. 20 " " " N71W 21 " "  
 Over level ground, timber Beech, Oak, hickory  
 &c. undug<sup>th</sup> Spruce

---

North On true line E. boundary of Sec. 24

40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bray S10 $\frac{1}{2}$ W 20 lks. dist. of  
 a Do. 12 " " " N49 $\frac{1}{2}$ E 22 " "  
 80.00 Set post Cor. to Sec. 13 of 24, from which  
 a Beech 10 in. dia. bray S47W 24 lks. dist. of  
 a Sugar 15 " " " N81W 16 " "  
 Over level ground, timber Beech, Oak &c.  
 undug<sup>th</sup> Spruce &c.

---

North On true line E. boundary of Sec. 13

40.00 Set q. Sec. post from which  
 a Sugar 15 in. dia. bray N84E 2 lks. dist. of  
 a Do. 10 " " " N15E 27 " "  
 80.00 Set a post Cor. to Sec. 12 of 13, from which

T8N. R5E. 2<sup>d</sup>. Mer. Indianach<sup>d</sup>. Skp.

a B. Walnut 6 in. dia. bray N10E10 lth. dist. of  
 a Mulberry 4 " " " S80E14 " "  
 1<sup>st</sup> 1/2 mile rich land, - timber Sugar Walnut &c  
 last 1/2 mile low ground, timb. Beech, Oak &c.  
 underg<sup>th</sup> Spruce &c.

North On true line E. boundary 12

40.00 Let q. Sec. post, from which

a Hackberry 9 in. dia. bray N54W6 lth. dist. of  
 an Elm 8 " " " N80E13 " "

80.00 Let post Cor. to Sec. 1 of 12, from which

a Beech 10 in. dia. bray S72E4 lth. dist. of  
 a Co. 36 " " " N12W22 " "

Over level land timber Beech, Hackberry &c.  
 undergrowth Spruce Soil good

North On true line E. boundary of Sec. 1

40.00 Let q. Sec. post, from which

a Sycamore 10 in. dia. bray S86E18 lth. dist. of  
 a Coffeenut 15 " " " S86W17 " "

48.16 to E. Fork of White River keep the channel

68.41 leave the River

78.16 to the Corner of Town 8 of 9 N. Range, 5 of 6  
 East June 8<sup>th</sup> 1819

## North Boundary

East On S. boundary of Sec. 31, T9N. R5E.

4.90 a Red Oak 27 in. dia.

7.64 a Brook 10 lth. wide Course S. E.

40.00 Let q. Sec. post, from which

a Poplar 18 in. dia. bray S59W11 lth. dist. of  
 a Beech 6 " " " N25W10 " "

46.87 a B. Oak 24 " "

T9 N. R5 E. T. Mer. Indiana

463

ch. Lk.

80.00 Let post cor. to Sec. 31 & 32, T9 N. R5 E. from which  
a Beech 10 in. dia. br. S67W10Lk. dist. of  
a Do. 15 " " " N9W14 " "  
This mile over level ground, timber Beech, Oak,  
Poplar &c Soil good

East On S. boundary of Sec. 32, T9 N. R5 E.

1.60 a Poplar 40 in. dia. br.

23.93 a W. Oak 36 " "

40.00 Let of. Sec. post, from which  
a Maple 15 in. dia. br. - 70 1/2 W 22 Lk. dist. of  
a Do. 12 " " " S68E 8 " "

57.68 a Red Oak 12 " "

77.97 an Ash 20 " "

80.00 Let post Cor. to Sec. 32 & 33, T9 N. R5 E. from which  
a Beech 59 in. dia. br. North 9Lk. dist. of  
an Ash 10 " " " S40W22 " "  
This mile is over level land, low ground timber  
Beech, Oak, Ash &c. underg<sup>m</sup> the same soil good

East On S. boundary of Sec. 33, T9 N. R5 E.

20.42 an Ash 20 in. dia.

40.00 Let of. Sec. post, from which  
a Beech 9 in. dia. br. S75W8Lk. dist. of  
a Do 9 " " " N26W6 " "

72.83 a Do 12 " "

80.00 Let post Cor. to Sec. 33 & 34, T9 N. R5 E. from which  
a Beech 6 in. dia. br. S52W4Lk. dist. of  
a Do. 15 " " " N26E29 " "  
This mile over level land, timber Beech, Poplar,  
underg<sup>m</sup> Spruce, pawpaw, Soil good.

East On S. boundary of Sec. 34, T9 N. R5 E.



T8 N. R5 E. 2<sup>nd</sup> Mer. Indiana

Ch. Lks.

23.43 a Beech 15 in. dia.

40.00 at q<sup>r</sup>. Sec. post, from which  
a Beech 6 in. dia. bray N 37° W 19 lks. dist. of  
a Do 18 " " " S 3 1/2° E 17 " "

62.90 a Do 14 " "

80.00 at post Cor. to Sec. 34 & 35, T9 N. R5 E, from which  
a Sugar 20 in. dia. bray S 64° W 16 lks. dist. of  
a Beech 12 " " " N 19° W 30 " "Thy (mile over level land, timber Beech, Poplar  
Sugar &c. undug<sup>th</sup> Spruce &c. Soil good

East On S. boundary of Sec. 35, T9 N. R5 E.

13.52 a Beech 15 in. dia.

40.00 at q<sup>r</sup>. Sec. post, from which  
a Beech 7 in. dia. bray - 30° W 6 lks. dist. of  
a Do. 24 " " " N 39 1/2° E - " "

51.00 a Poplar 30 " "

80.00 at post Cor. to Sec. 35 & 36, T9 N. R5 E, from which  
a Locust 27 in. dia. bray S 73 1/2° E 5 lks. dist. of  
a Sugar 12 " " " S 31° W 12 " "Over level land, timber Poplar, Walnut, Sugar,  
&c. undug<sup>th</sup> Spruce rich Soil

East On S. boundary of Sec. 36, T9 N. R5 E.

21.05 a Spanish Oak 27 in. dia.

40.00 at q<sup>r</sup>. Sec. post, from which  
a Hackberry 13 in. dia. bray N 35° W 4 lks. dist. of  
a Beech 6 " " " S 18° W 7 " "

48.80 a Pond 300 lks. wide

80.00 at post Cor. to Township N: 8 & 9 North, Range  
N: 5 & 6 East, from which  
a Sycamore 27 in. dia. bray S 74° E 15 lks. dist. of  
a Do. 30 " " " N 43° E 31 " "



T8 N. R5 E. T. Mr. Indiana

465

Ch. Lk.

1<sup>st</sup> 1/2 mile good land, last 1/2 mile wet, timber  
Walnut, Hackberry &c. Soil good

West Boundary var. 6.45' E.  
North On E. boundary of Sec. 36, T8 N. R4 E.  
9.83 a Beech 20 in. dia.  
40.00 dit of Sec. post, from which  
a Beech 14 in. dia. bray N28 E 32 lks. dist. of  
a do. 22 " " " N18 W 8 " "  
80.00 dit post Co. to Sec. 25 of 36, T8 N. R4 E, from which  
a Beech 7 in. dia. bray S48 E 10 lks. dist. of  
a do. 16 " " " N78 W 14 " "  
Over level land, timber Beech, Oak, undug, Spruce.

North On E. boundary of Sec. 25, T8 N. R4 E.  
24.32 a Beech 18 in. dia.  
40.00 dit of Sec. post, from which  
a Beech 9 in. dia. bray S25 W 24 lks. dist. of  
a dogw? 6 " " " N21 E 15 " "  
63.82 a W. Oak 36 " "  
78.10 a Brook 6 lks. wide Course S. W.  
80.00 dit post Co. to Sec. 24 of 25, T8 N. R4 E, from which  
a Beech 13 in. dia. bray S34 E 20 lks. dist. of  
an Ash 18 " " " N73 W 10 " "  
Over rolling land, timber Beech, Poplar, Oak  
undug. Spruce & birch

North On E. boundary of Sec. 24, T8 N. R4 E  
22.82 a Beech 20 in. dia.  
40.00 dit of Sec. post, from which  
a Beech 12 in. dia. bray S51 W 20 lks. dist. of  
a do. 10 " " " N50 E 38 " "  
46.59 a do 18 " "

T8N R5E, 2<sup>d</sup> Mer. Indiana

Ch. 147.

80.00 Let post Cor. to Sec. 13 of 24, T8N. R4E, from which  
 a Hickory 13 in. dia. bran N46E 18 lks. dist. of  
 a Beech 14 " " " N35W 12 " "  
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T8N. R4E

10.10 a Beech 22 in. dia.

13.00 a Brook 6 lks. wide Course E.

18.10 a do 20 " " " E.

40.00 Let of. Sec. post, from which

a Beech 20 in. dia. bran N27W 26 lks. dist. of

a do. 8 " " " N1E 18 " "

80.00 Let post Cor. to Sec. 12 of 13, T8N. R4E, from which

a W. Oak 40 in. dia. bran East 11 lks. dist. of

a ——— 14 " " " S66E 8 " "

Over rolling land, timber Oak, Beech, Poplar &c  
 underg<sup>th</sup>. Spruce & birch

North On E. boundary of Sec. 12, T8N. R5E.

40.00 Let of. Sec. post, from which

a Beech 12 in. dia. bran N12E 10 lks. dist. of

a do. 8 " " " N57E 33 " "

52.03 a do 18 " "

62.55 a Brook 5 lks. wide Course E.

80.00 Let post cor. to Sec. 1 of 12, T8N. R4E, from which

a W. Oak 10 in. dia. bran N46E 17 lks. dist. of

a Gum 20 " " " N85E 24 " "

Over level land, timber Beech, Oak, Hickory &c  
 underg<sup>th</sup>. greenbrier

North On E. boundary of Sec. 1, T8N. R4E.

17.80 a Beech 24 in. dia.

32.59 a Brook 6 lks. wide Course E.

T8 N R5 E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.

- 40.00 Let q<sup>r</sup>. See. post, from which  
 a W. Oak 14 in. dia<sup>r</sup>. bears S 2 E 19 lks. dist. 4  
 a Beech 12 " " " N 75 E 44 " "  
 85.00 Let a post Cor. to Township N<sup>o</sup>. 8 & 9 North  
 Range N<sup>o</sup>. 4 & 5 East, from which  
 a Beech 14 in. dia<sup>r</sup>. bears S 23 E 8 lks. dist. 4  
 a Do. 10 " " " N 54 E 10 " "  
 Over rolling land, Beech, Oak, and <sup>tr</sup> Spruce  
 June 3<sup>rd</sup> 1819. John. M<sup>c</sup>. Donald, R. S.

Comp.

- 
- Subdivision      var. 6.31' E.
- North Between Sec<sup>s</sup>. 35 & 36
- 19.79 a Poplar 36 in. dia<sup>r</sup>.
- 40.00 Let q<sup>r</sup>. See. post, from which  
 a Beech 15 in. dia<sup>r</sup>. bears S 6 W 11 lks. dist. 4  
 a Do. 4 " " " N 68 E 20 " "  
 61.27 a Poplar 30 " "  
 80.00 Let a post Cor. to Sec<sup>s</sup>. 25, 26, 35 & 36, from which  
 a Beech 20 in. dia<sup>r</sup>. bears S 29 W 15 lks. dist. 4  
 a W. Ash 16 " " " N 30 E 50 " "  
 Broken 2<sup>d</sup>. rate Land Beech, Poplar, Hickory, Sugar,  
 Ash, Undergrowth Spice, Dogwood.
- 

- East On Random between Sec<sup>s</sup>. 25 & 36.
- 40.00 Let temp<sup>y</sup>. q<sup>r</sup>. See. post
- 41.26 Intersected the E. boundary 1.80 lks. — of post  
 Flat wet Land 3<sup>d</sup>. rate Beech Hickory Maple Elm &c.
- 

- West Corrected between Sec<sup>s</sup>. 25 & 36.
- 40.13 Let q<sup>r</sup>. See. post, at average dist. from which  
 a Beech 15 in. dia<sup>r</sup>. bears S 61 W 21 lks. dist. 4  
 a Do. 20 " " " S 61 E 17 " "  
 80.26 to Section Corner

S N R5 E. 2<sup>d</sup>. Mer. Indianach<sup>d</sup>. LkyNorth Between Sec<sup>s</sup>. 25 & 26.30.50 a Beech 12 in. dia<sup>l</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a W. Oak 36 in. dia<sup>l</sup>. bears N 45 W 3 lks. dist. &  
 a Beech 12 " " " S 80 E 24 " "

64.00 a Beech 15 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 23, 24, 25 & 26. from which  
 a Beech 10 in. dia<sup>l</sup>. bears S 66 E 2 lks. dist. &  
 a No. 12 " " " S 80 W 24 " "

Land Broken 3<sup>d</sup>. rate Beech, Oak, Hickory &c. Underg<sup>th</sup>.  
 Beech, Spruce &c.

East On Random between Sec<sup>s</sup>. 24 & 25.40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

80.46 Intersected the E. boundary 2.32 lks. South of post.  
 Over flat 3<sup>d</sup>. rate Land Beech, Oak, Hickory, Maple &c.  
 Undergrowth Small Beech

West Corrected between Sec<sup>s</sup>. 24 & 25.

40.23 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Gum 16 in. dia<sup>l</sup>. bears S 30 W 10 lks. dist. &  
 a Beech 12 " " " S 87 E 20 " "

80.46 to Section Corner

North Between Sec<sup>s</sup>. 23 & 24.23.23 a Beech 24 in. dia<sup>l</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 15 in. dia<sup>l</sup>. bears S 21 E 6 lks. dist. &  
 a No. 12 " " " N 5 W 15 " "

64.10 a Beech 20 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 13, 14, 23 & 24. from which  
 a Maple 12 in. dia<sup>l</sup>. bears S 20 W 21 lks. dist. &  
 a Bur Oak " " " N 20 E 44 " "

T8 N. R5 E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.

Level 2<sup>d</sup>. rate Land Beech, Oak, Ash Poplar &c.  
Undergrowth Spice, Dogwood &c.

East On Random between Sec<sup>s</sup>. 13 & 14.40.00 Set temp<sup>y</sup>. g<sup>d</sup>. Sec. post

80.92 Intersected the E. boundary 2.96 lks. South of post  
Rolling 2<sup>d</sup>. rate Land Beech, Oak, Poplar, Ash &c.  
Undergrowth Spice

West Corrected between Sec<sup>s</sup>. 13 & 14.

40.46 Set g<sup>d</sup>. Sec. post, at average dist. from which  
a Beech 12 in. dia. bears N 7 E 22 lks. dist. &  
a W. Elm 12 " " " S 44 W 32 " "

90.92 to Section Corner

North Between Sec<sup>s</sup>. 13 & 14.

32.45 a Poplar 36 in. dia.

40.00 Set g<sup>d</sup>. Sec. post, from which  
a Beech 20 in. dia. bears S 28 W 24 lks. dist. &  
a Do. 12 " " " N 19 E 26 " "

57.19 a Beech 12 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 11, 12, 13 & 14. from which  
a Maple 15 in. dia. bears N 20 W 8 lks. dist. &  
a Do. 12 " " " S 28 W 25 " "  
first 1/2 mile Rolling 2<sup>d</sup>. rate last 1/2 mile V<sup>th</sup>. rate  
Beech, Sugar, Poplar, &c. Undergrowth Spice

East On Random between Sec<sup>s</sup>. 12 & 13.40.00 Set temp<sup>y</sup>. g<sup>d</sup>. Sec. post

80.60 Intersected the E. boundary 3.20 lks. South of post  
Over level ground through thickets of Spice, Beech,  
Hickory Hornbeam &c. Sugar &c.



# Set 185 E. 2<sup>d</sup>. Mer. Indiana

ch<sup>d</sup>. 2<sup>d</sup>.

West Corrected between Sec<sup>s</sup>. 12 & 13.

40. 30 Set q<sup>d</sup>. Sec. post, at average dist. from which  
 a Poplar 3 in. dia<sup>r</sup>. bears S 5 W 11 lbs. dist. 4  
 a Sugar 12 " " " S 40 W 34 " "  
 50. 60 to Section Corner. Sept. 25<sup>th</sup> 1819.

North Between Sec<sup>s</sup>. 11 & 12.

23. 90 a Sugar 20 in. dia<sup>r</sup>.  
 40. 00 Set q<sup>d</sup>. Sec. post, from which  
 a Beech 20 in. dia<sup>r</sup>. bears North 21 lbs. dist. 4  
 a No. 12 " " " S 10 W 33 " "  
 55. 15 a Poplar 40 " "  
 80. 00 Set post Cor. to Sec<sup>s</sup>. 1, 2, 11, & 12. from which  
 a W. Ash 6 in. dia<sup>r</sup>. bears S 9 E 18 lbs. dist. 4  
 a W. Oak 4 " " " S 68 E 19 " "  
 first rate bottom Sugar, Beech, Poplar, Walnut &c.  
 Undergrowth Spice Pawpaw &c.

East On Random between Sec<sup>s</sup>. 1 & 12.

40. 00 Set temp<sup>y</sup>. q<sup>d</sup>. Sec. post  
 41. 92 Intersected the E. boundary 3.86 lbs. S. of post.  
 first rate Land Beech, Sugar, Hickory, Elm, Ash, Oak,  
 Walnut &c. undergrowth Spice

West Corrected between Sec<sup>s</sup>. 1 & 12.

40. 46 Set q<sup>d</sup>. Sec. post, at average dist. from which  
 a Beech 8 in. dia<sup>r</sup>. bears S 53 E 15 lbs. dist. 4  
 a Hickory 20 " " " S 74 W 13 " "  
 50. 92 to Section Corner

North Between Sec<sup>s</sup>. 1 & 2.

19. 30 a Poplar 60 in. dia<sup>r</sup>.  
 40. 00 Set q<sup>d</sup>. Sec. post. from which

T8. N 125 E. 2<sup>nd</sup>. Mer. Indiana

Ch. Lk.

- a Beech 6 in. dia. bears S 13-20 lbs. dist. 4  
 a Gum 10 " " " N 27 W 12 " "  
 66.80 a Sugar 12 " " "  
 80.45 Intersected the N. boundary 4 lbs. W. of post  
 Set post Cor. to Sec. 1 & 2, from which  
 a Sugar 12 in. dia. bears S 47 W 20 lbs. dist. 4  
 a Do. 15 " " " S 8 E 14 " "  
 first rate bottom Land Beech Sugar Poplar Ash  
 W. Oak, Walnut, &c. undergrowth Spice

North Between Sec. 34 &amp; 35.

- 23.40 a Poplar 12 in. dia.  
 40.00 Set W. Sec. post, from which  
 a Maple 10 in. dia. bears S 6 E 17 lbs. dist. 4  
 a Do. 6 " " " North 509 " "  
 63.15 a Beech 10 " "  
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
 a Gum 30 in. dia. bears S 20 E 22 lbs. dist. 4  
 a Beech 8 " " " S 65 E 17 " "  
 Good 3<sup>rd</sup> rate land, Beech, Oak, Maple, Gum &c.

East On Rand<sup>m</sup>. between Sec. 26 & 35

- 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N. & S. line 344 lbs. S. of post  
 Land Broken 3<sup>rd</sup> rate, Beech, W. Oak, Poplar &c.

West Cornetted between Sec. 26 &amp; 35

- 40.00 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 72 E 6 lbs. dist. 4  
 a Do. 10 " " " S 64 W 23 " "  
 80.00 to Sec. Corner. Sept. 26<sup>th</sup>. 1819

North Between Sec. 26 &amp; 27

S 8 N. R 5 E. 2<sup>d</sup>. Mer. Indiana

ch. Lk.

33.90 a W. Ash 18 in. dia.

40.00 ditto q. Sec. post, from which  
a Beech 12 in. dia. beam N 27 E 17 lks. dist. of  
a do. 36 " " " S 10 W 30 " "

58.58 a do. 15 " "

80.00 ditto post Cor. to Sec. 22, 23, 26 & 27, from which  
a Beech 6 in. dia. beam S 30 E 9 lks. dist. of  
a do. 8 " " " N 20 W 10 " "  
Level 3<sup>d</sup> rate Beech, Oak, Poplar, undg. SpruceEast On Rand<sup>m</sup>. between Sec. 23 & 26

40.00 ditto temp. q. Sec. post

79.56 Intersected the N & S. line 314 lks. S. of post  
Level 3<sup>d</sup> rate land, Beech, Oak, Poplar &c.

West Corried between Sec. 23 &amp; 26

39.78 ditto q. Sec. post at average dist. from which  
a Beech 18 in. dia. beam S 80 W 32 lks. dist. of  
a do. 12 " " " N 60 E 6 " "

79.56 to Sec. Corner.

North Between Sec. 22 &amp; 23

18.66 a Poplar 40 in. dia.

40.00 ditto q. Sec. post, from which  
a W. Ash 15 in. dia. beam N 3 W 19 lks. dist. of  
a Beech 12 " " " N 48 W 16 " "

70.35 a Maple 15 " "

80.00 ditto post Cor. to Sec. 14, 15, 22 & 23, from which  
a Gum 12 in. dia. beam S 65 W 17 lks. dist. of  
a Beech 15 " " " S 5 E 7 " "  
Broken 3<sup>d</sup> rate land Beech, Oak &c. undg. SpruceEast On Rand<sup>m</sup>. between Sec. 14 & 23

T8 N. R5 E. 2<sup>d</sup>. Mer. Indianach<sup>d</sup>. 2<sup>th</sup>.40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post79.30 Intersected the N & S. line 300 l<sup>ns</sup>. S. of post  
Level 3<sup>d</sup>. rate land, Beech, Oak, Hickory &c.  
underg<sup>th</sup>. Dogwood &c.West Corrected between Sec<sup>s</sup>. 14 & 2339.65 Let q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 15 m. dist. from N 7 E 14 l<sup>ns</sup>. dist. &  
a do. 12 " " " N 48 E 25 " "

79.30 to Sec. Corner.

North Between Sec<sup>s</sup>. 14 & 15,

36.10 a Gum 10 m. dist.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 10 m. dist. from S 79 W. 10 l<sup>ns</sup>. dist. &  
a do. 15 " " " N 10 E 13 " "

58.85 a do. 18 " "

80.00 Let post Cor. to Sec<sup>s</sup>. 10, 11, 14 & 15, from which  
a Beech 18 m. dist. from East 2 l<sup>ns</sup>. dist. &  
a W. Elm 18 " " " West 40 " "  
Level 3<sup>d</sup>. rate land, Beech, Oak, Hickory, Gum &c.  
underg<sup>th</sup>. Dogwood, Spice &c.East On R and 8<sup>m</sup>. between Sec<sup>s</sup>. 11 & 1440.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post79.84 Intersected the N & S. line 262 l<sup>ns</sup>. S. of post  
Level 3<sup>d</sup>. rate land Beech, Oak, Poplar, Gum &c.  
underg<sup>th</sup>. Spice &c.West Corrected between Sec<sup>s</sup>. 11 & 1439.92 Let q<sup>r</sup>. Sec. post at average dist. from which  
a Gum 20 m. dist. from East 6 l<sup>ns</sup>. dist. &  
a Hickory 20 " " " S 25 W 26 " "

T8N R5E. 2<sup>nd</sup> Mer. Indianach<sup>d</sup>. Lk<sub>s</sub>

79.84 to Sec. Corner.

North Between Secs. 10 &amp; 11

18.85 a Poplar 60 in. diam.

40.00 At gr. Sec. post, from which

a Beech 24 in. diam. bearing N 73° W 7 lks. dist. of

a do. 4 " " " S 2 E 19 " "

68.25 a do 18

80.00 At post Cor. to Secs. 2, 3, 10 &amp; 11, from which

a Beech 18 in. diam. bearing N 79° W 17 lks. dist. of

a do. 18 " " " S 76 E 27 " "

Broken 3<sup>rd</sup> rate land, Beech, Hickory, Poplar &c.  
undergrowth SpiceEast On Rand<sup>m</sup>. between Secs. 2 & 1140.00 At temp<sup>y</sup>. gr. Sec. post

79.64 Intersected the N &amp; S line 296 lks. S. of post

Rolling 3<sup>rd</sup> rate land, Beech, Oak &c. undug<sup>th</sup>.

Dogwood, Spice &amp;c.

West Corrupted between Secs. 2 &amp; 11.

39.82 At gr. Sec. post at average dist. from which

a Beech 20 in. diam. bearing S 81° W 8 lks. dist. of

a do. 12 " " " N 87 E 35 " "

79.64 to Sec. Corner. Sept. 27. 1879

North Between Secs. 2 &amp; 3

25.44 a Beech 8 in. diam.

40.00 At gr. Sec. post, from which

a Beech 15 in. diam. bearing N 50° W 10 lks. dist. of

a W. Ash 24 " " " S 20 E 20 " "

61.00 a do 24 " "

81.75 Intersected the N. boundary 177 lks. E. of post



T 8 N - R 5 E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.

Set post Cor. to Sec. 2 & 3, from which  
 a Beech 12 mi. dist. bear N 40° W 34 lbs. dist. of  
 a W. Oak 12 " " " S 75° E 20 " "  
 Land rolling 2<sup>d</sup>. rate Beech, Oak, Poplar &c.  
 undug<sup>th</sup>. Spruce

## North Between Sec. 33 &amp; 34

18.53 a Beech 20 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 15 mi. dist. bear S 34° W 33 lbs. dist. of  
 a do. 32 " " " N 15° E 18 " "

64.33 a do. 12 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
 a Sassafras 8 mi. dist. bear N 37° E 10 lbs. dist. of  
 a Sugar 18 " " " S 30° W 5 " "  
 1<sup>st</sup> 1/2 mile level - last 1/2 mile broken 3<sup>d</sup>. rate land  
 Beech, Poplar, Oak &c. undug<sup>th</sup>. Spruce

East On Road<sup>m</sup>. between Sec. 27 & 3440.00 Set temp. q<sup>r</sup>. Sec. post

79.80 Intersected the N & S. line 124 lbs. S. of post  
 Broken 3<sup>d</sup>. rate land, Beech, Oak, Gum, Poplar &c.

## West Correlated between Sec. 27 &amp; 34

39.90 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 24 mi. dist. bear South 32 lbs. dist. of  
 a do. 18 " " " S 47° W 18 " "

79.80 to Sec. Corner.

## North Between Sec. 27 &amp; 28

23.89 a Beech 18 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a R. Oak 24 mi. dist. bear S 50° W 5 lbs. dist. of

S 8 N 125 E, T<sup>n</sup>. Mer. Indiana

Ch. Lk.

a Hornbeam 4 in. dia. bears N 18 E 15 lbs. dist. of  
 66.50 a Poplar 60 " "  
 80.00 let post Cor. to Sec. 21, 22, 27 & 28, from which  
 a Beech 15 in. dia. bears N 66 W 17 lbs. dist. of  
 a Do. 18 " " " N 21 E 15 " "  
 Broken 3<sup>d</sup> rate land Beech, Oak, Poplar, Gum &c.  
 underg<sup>th</sup> Spruce, Dogwood &c.

East On Rand<sup>m</sup> between Sec. 22 & 27

40.00 Let temp. of. Sec. post  
 79.50 Intersected the N. & S line 1.22 lbs. South of post  
 level wet Land 3<sup>d</sup> rate Beech Oak poplar Gum &c.  
 undergrowth Spruce &c.

## West Corrected between Sec. 22 &amp; 27.

39.75 Let of. Sec. post at average dist. from which  
 a Beech 10 in. dia. bears S 8 E 10 lbs. dist. of  
 a W. Elm 12 " " " N 34 W 11 " "  
 79.50 to Section Corner

## North Between Sec. 21 &amp; 22

26.44 a Beech 12 in. dia.  
 40.00 Let of. Sec. post, from which  
 a Beech 10 in. dia. bears East 4 lbs. dist. of  
 a Saparas 10 " " " S 9 W 23 " "  
 65.26 a W. Elm 20 " "  
 80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Hickory 8 in. dia. bears S 32 W 17 lbs. dist. of  
 a Beech 10 " " " S 24 E 6 " "  
 Land 3<sup>d</sup> rate level. Beech Poplar Ash &c. undergrowth  
 Spruce Dogwood &c. September 28<sup>th</sup> 1819.

## East On Random between Sec. 15 &amp; 22.

T8N R5E. 2.<sup>nd</sup> Mer. IndianaCh<sup>2</sup>. Sh.40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.68 Intersected the N. & S. line 1.44 lks. South of post.  
 Level wet land 3.<sup>rd</sup> rate Beech W. Oak Hickory &c.  
 undergrowth Spice &c.

West Corrected between Sec<sup>s</sup>. 15 & 22.

39.84 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Hickory 36 in. dia<sup>r</sup>. bears S 68 E 19 lks. dist. 4  
 a Beech 30 " " " S 75 E 33 " "

79.68 to Section Corner

North Between Sec<sup>s</sup>. 15 & 16.24.61 a Beech 15 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Poplar 48 in. dia<sup>r</sup>. bears N 68 E 14 lks. dist. 4  
 a Beech 16 " " " N 88 W 32 " "

57.32 a No. 14 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 9, 10, 15 & 16, from which  
 a Poplar 6 in. dia<sup>r</sup>. bears N 4 E 11 lks. dist. 4  
 a Beech 15 " " " South 19 " "  
 Level 3.<sup>rd</sup> rate land Beech Oak Gum &c. undg<sup>t</sup>. Spice

East On Pradown between Sec<sup>s</sup>. 10 & 15.40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.50 Intersected the N. & S. line 96 lks. South of post.  
 Level 3.<sup>rd</sup> rate land Beech Gum Poplar undg<sup>t</sup>. Spice Beech &c.

West Corrected between Sec<sup>s</sup>. 10 & 15.

39.75 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 18 in. dia<sup>r</sup>. bears S 68 E 1 1/2 lks. dist. 4  
 a No. 15 " " " N 85 W 12 " "

79.50 to Section Corner

T8N-R5E. 2<sup>d</sup>. Mer. IndianaCh<sup>d</sup>. Ekr.North Between Sec<sup>s</sup>. 9 & 10.29.42 a Beech 20 in. dia<sup>r</sup>.40.00 Set q<sup>r</sup>. Sec. post, from which  
a W. Oak 20 in. dia<sup>r</sup>. bears N 57° W 11 lbs. dist. 4  
a Beech 15 " " " N 6° E 23 " "

59.09 a No. 15 " "

80.00 Set a post Cor. to Sec<sup>s</sup>. 3, 4, 9, & 10, from which  
a Beech 10 in. dia<sup>r</sup>. bears N 88° W 17 lbs. dist. 4  
a No. 20 " " " N 14° E 21 " "  
Level 3<sup>d</sup>. rate land Beech, Oak, Poplar & undergrowth  
Dogwood Spice &c.East On Random between Sec<sup>s</sup>. 3, & 10.40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.14 Intersected the N. & S. line 60 lbs. South of post.  
Level 3<sup>d</sup>. Rate land Beech Poplar Gum &c. underg<sup>r</sup>.  
Spice & Beech very small.West Corrected between Sec<sup>s</sup>. 3, & 10.40.07 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 15 in. dia<sup>r</sup>. bears S 6° E 21 lbs. dist. 4  
a No. 6 " " " N 46° W 22 " "

80.14 to Section Corner

North Between Sec<sup>s</sup>. 3 & 4.

8.00 Enter a Swamp

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Maple 24 in. dia<sup>r</sup>. bears N 35° W 14 lbs. dist. 4  
a No. 12 " " " S 12° W 12 " "

58.90 leave the Swamp

62.08 a Beech 15 in. dia<sup>r</sup>.80.81 Intersected the N. boundary 2.84 lbs. East of post  
Set post Cor. to Sec<sup>s</sup>. 3 & 4, from which

T8 N R5 E, 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

a Beech 8 in. dia. bears S 84° W 3 lks. dist. 4

a Poplar 2 1/2 " " " S 45° W 20 " "

Level Swampy ground Maple Beech Ash Poplar.

North Between Secs. 32, 4, 33.

19. 1 1/4 a W. Oak 12 in. dia.

40. 00 Set of Sec. post, from which  
a Red Oak 18 in. dia. bears S 6° E 25 lks. dist. 4  
a Sugar 5 " " " N 33° E 19 " "

68. 40 a Sugar 6 " "

40. 00 Set post Cor. to Secs. 28, 29, 32 & 33  
from which a Beech 12 S 55° E 25 lks. 7/8 a Red Oak 8 N 24° W 24 lks. dist. 1  
Broken 3<sup>rd</sup> rate land Beech Oak Sugar &c. undergrowth  
Dogwood Hazel &c. September 27<sup>th</sup> 1819.

East On Random between Secs. 28 &amp; 33.

40. 00 Set temp. of Sec. post.

40. 8 1/4 Intersected the N. & S. line 2.82 lks. South of post  
Hilly 3<sup>rd</sup> rate land Beech Oak Sugar &c. undergrowth  
Spice Dogwood &c.

West Corrected between Secs. 28 &amp; 33.

40. 42 Set of Sec. post, at average dist. from which  
a Sugar 10 in. dia. bears S 48° W 12 lks. dist. 4  
a Beech 10 " " " N 84° E 25 " "

80. 8 1/4 to Section Corner

North Between Secs. 28 &amp; 29.

27. 3 1/4 a Poplar 28 in. dia.

40. 00 Set of Sec. post, from which  
a Beech 20 in. dia. bears South 25 lks. dist. 4  
a Gum 10 " " " N 28° W 20 " "

58. 7 1/4 a Beech 18 " "

40. 00 Set post Cor to Secs. 20, 21, 28 &amp; 29. from which



T8N R5E. 2<sup>nd</sup> Mer. Indiana

ch. Lk.

a Beech 24 in dia. bears S 56 W 15 lbs. dist. 4  
 a No. 12 " " " N 49 E 24 " "  
 Broken 3<sup>rd</sup> rate Land Beech, Oak, Gum, &c. undergrowth  
 Dogwood Beech &c.

East On Random between Sec. 21 &amp; 28.

40.00 Set temp. q. Sec. post.

80.78 Intersected the N. & S. line 300 lbs. South of post  
 Broken 3<sup>rd</sup> rate Land Beech R. Oak W. Oak &c.  
 undergrowth Dogwood &c.

West Corrected between Sec. 21 &amp; 28.

40.39 Set q. Sec. post at average dist. from which  
 a Beech 24 in. dia. bears N 34 W 22 lbs. dist. 4  
 a No. 36 " " " S 33 E 27 " "

89.78 to Section Corner

North Between Sec. 20 &amp; 21.

25.25 a Poplar 24 in. dia.

40.00 Set q. Sec. post, from which  
 a Beech 15 in. dia. bears S 49 E 9 lbs. dist. 4.  
 a No. 20 " " " N 23 W 36 " "

61.00 a Poplar 36 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
 a Beech 16 in. dia. bears S 36 E 30 lbs. dist. 4  
 a No. 12 " " " N 40 W 23 " "  
 Rolling 3<sup>rd</sup> rate Land Beech Ash Oak Poplar &c.  
 undergrowth Spice Dogwood &c.

East On Random between Sec. 16 &amp; 21.

40.00 Set temp. q. Sec. post

80.50 Intersected the N. & S. line 2.60 lbs. South of post  
 Rolling 3<sup>rd</sup> rate Land Beech Oak Poplar Ash &c.

T8N R5E. 2<sup>nd</sup> Mer. Indianach<sup>d</sup>. Lks.

Undergrowth Dogwood Spice &amp;c.

West Corrected between Sec<sup>s</sup>. 16 & 21.

40.25 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 20 in dia<sup>r</sup>. bears East 30 lks. dist. &  
 a No. 12 " " " N 52 W 40 " "

50.50 to Section Corner

North Between Sec<sup>s</sup>. 17 & 16.20.17 a Beech 18 in dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 12 in dia<sup>r</sup>. bears N 76 E 20 lks. dist. &  
 a No. 18 " " " N 73 W 6 " "

69.30 a No. 12 " "

80.00 Set post Cor to Sec. 8, 9, 16 & 17, from which  
 a Gum 15 in dia<sup>r</sup>. bears N 12 E 84 lks. dist. &  
 a Maple 18 " " " S 74 E 24 " "  
 flat wet Land 3<sup>rd</sup> rate Beech Hickory Oak &c.

East On Random between Sec<sup>s</sup>. 9 & 16.40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.58 Intersected the N. & S. line 2.48 lks. South of post  
 flat wet Land Beech Hickory oak Gum

West Corrected between Sec<sup>s</sup>. 9 & 16.

40.29 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 8 in dia<sup>r</sup>. bears N 55 W 13 lks. dist. &  
 a No. 16 " " " S 82 E 14 " "

80.58 to Section Corner

North Between Sec<sup>s</sup>. 8 & 9.25.10 a Poplar 24 in dia<sup>r</sup>.40.00 Set q<sup>r</sup>. Sec. post, from which

T8 N R5 E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.

- a Beech 24 in. dia. bears N 20 E 27 lbs. dist. 4  
 a Do. 4 " " " S 77 W 14 " "  
 58.25 a Hickory 18 " "  
 80.00 Set post Cor. to Sect. 4, 5, 8 & 9. from which  
 a Beech 10 in. dia. bears S 86 W 14 lbs. dist. 4  
 a Do. 15 " " " East 35 " "  
 Broken 3<sup>d</sup> rate Land Beech, Oak, Hickory, Gum, &c.  
 undergrowth Dogwood, Beech, &c.

East On Prudence between Sect. 4 &amp; 9.

- 40.00 Set temp. of Sect. post  
 80.30 Intersected the N. & S. line 2.20 lbs. S. of post  
 flat wet Land 3<sup>d</sup> rate Beech Hickory Maple &c.

West Corrected between Sect. 4 &amp; 9.

- 40.15 Set of Sect. post at average dist. from which  
 a Maple 6 in. dia. bears N 80 E 9 lbs. dist. 4  
 a Do. 12 " " " S 87 W 28 " "  
 80.30 to Section Corner

North Between Sect. 4 &amp; 5.

- 22.27 a Gum 18 in. dia.  
 40.00 Set of Sect. post, from which  
 a Poplar 8 in. dia. bears S 40 W 8 lbs. dist. 4  
 a W. Ash 12 " " " N 55 E 28 " "  
 60.80 a W. Oak 18 " "  
 80.10 Intersected the N. boundary 1.60 lbs. E. of post  
 Set post Cor. to Sect. 4 & 5. from which  
 a Poplar 60 in. dia. bears N 32 W 5 lbs. dist. 4  
 a Beech 12 " " " S 38 E 14 " "  
 first 1/2 mile Broken last 1/2 mile flat wet Land 3<sup>d</sup> rate  
 Beech Oak Hickory Ash &c. undergrowth Dogwood  
 Beech &c. September 30<sup>th</sup> 1879.

# T 8 N - R 5 E, 2<sup>d</sup>. Mer. Indiana

Ch. Lks.

North Between Sec<sup>s</sup>. 31 & 32.

24.73 a W. Ash 12 in. dia. bears

40.00 Set of. Sec. post, from which  
a W. Oak 6 in. dia. bears N 79 W 13 lks. dist. &  
a Do. 18 " " " S 10 E 48 " "

56.75 a Beech 18 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 29, 30, 31 & 32, from which  
a Beech 15 in. dia. bears N 81 W 15 lks. dist. &

a Do. 10 " " " N 48 E 4 " "

Broken 3<sup>d</sup>. rate land Beech, Oak, Ash, &c. undergr<sup>t</sup>.  
Dogwood Spice &c.

East On Pradom between Sec<sup>s</sup>. 29 & 32.

40.00 Set <sup>temp<sup>ly</sup></sup> of. Sec. post.

79.60 Intersected the N. & S. line 2.18 lks. South of post.  
Polling 3<sup>d</sup>. rate Land Beech Oak Hickory &c.  
undergrowth Dogwood Ironwood &c.

West Corrected between Sec<sup>s</sup>. 29. & 32.

39.80 Set of. Sec. post, at average dist. from which  
a Beech 12 in. dia. bears S 52 W 12 lks. dist. &  
a Do. 10 " " " N 45 E 23 " "

79.60 to Section Corner

West Between Sec<sup>s</sup>. 30 & 31.

27.98 a Hickory 24 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 18 in. dia. bears S 63 W 23, lks. dist. &  
a Do. 16 " " " North 10 " "

57.85 a W. Ash 18 " "

83.44 Intersected the W. boundary 2.50 lks. N. of post  
Set a post Cor. to Sec<sup>s</sup>. 30 & 31, no bearing trees  
Over Polling 3<sup>d</sup>. rate Land Beech, Oak, Hickory &c.

T8N R5E. 2<sup>d</sup>. Mer. Indiana

Ch. Str.

Undergrowth Dogwood &amp; Spice

North Between Secs. 29 &amp; 30.

27.55 a Gum 30 in dia.

40.00 Set q. Sec. post, from which  
a Beech 15 in. dia. bears S 34 W 33 lbs. dist. &  
a Do. 32. " " " N 15 E 18 " "

64.33 a Beech 12 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30. from which  
a Beech 15 in. dia. bears N 60 E 3 lbs. dist. &  
a Poplar 30 " " " S 15 W 15 " "  
Broken 3<sup>rd</sup> rate Land Beech Oak Hickory poplar &c.  
Undergrowth Dogwood Spice &c.

East On Random between Secs. 20 &amp; 29.

40.00 Set temp. q. Sec. post

79.52 Intersected the N. & S. line 200 lbs. South of post  
Broken 3<sup>rd</sup> rate Land Beech Oak Hickory &c.  
Undergrowth Dogwood Ironwood &c.

West Corrected between Secs. 20 &amp; 29.

39.76 Set q. Sec. post at average dist. from which  
a Beech 12 in. dia. bears N 30 W 11 lbs. dist. &  
a Do. 16 " " " N 42 E 27 " "

79.52 to Section Corner

West Between Secs. 19 &amp; 30.

18.35 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bears S 10 E 17 lbs. dist. &  
a Gum 18 " " " N 63 W 27 " "

69.50 a Beech 20 " "

83.25 Intersected the W. boundary 2.90 lbs. North of post



# T8N R5E. 2<sup>nd</sup>. Mer. Indiana

485

Ch<sup>s</sup>. Ltr.

Set post Cor. to Sec<sup>s</sup>. 19 & 20. from which  
a Beech 24 in. dia. bears S 41 E 6 lvs. dist. 4  
a No. 12 " " " North 30 " "  
Broken 3<sup>rd</sup> rate Land Beech, Oak, Hickory Gum &c.  
Undergrowth Dogwood Beech &c.

---

North Between Sec<sup>s</sup>. 19 & 20.

19.70 a W. Ash 24 in. dia.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 18 in. dia. bears S 88 W 19 lvs. dist. 4  
a No. 24 " " " N 72 E 19 " "  
54.52 a Beech 18 " "  
40.00 Set post Cor. to Sec<sup>s</sup>. 17, 18, 19 & 20, from which  
a Beech 20 in. dia. bears S 47 E 19 lvs. dist. 4  
a Hickory 24 " " " S 44 W 26 " "  
Level 3<sup>rd</sup> rate Land Beech Hickory Oak &c.  
Undergrowth Dogwood Spice Ironwood &c.

---

East On Random between Sec<sup>s</sup>. 17 & 20

40.00 Set Temp<sup>y</sup>. q<sup>r</sup>. Sec. post.  
79.26 Intersected the N. & S. line 320. lvs. South of post  
Level 3<sup>rd</sup> rate Land Beech Oak Poplar &c.  
Undergrowth Spice Dogwood &c.

---

West Corrected between Sec<sup>s</sup>. 17 & 20.

39.63 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 30 in. dia. bears N 55 W 26 lvs. dist. 4  
a W. Elm 20 " " " S 55 E 11 " "  
79.26 to Section Corner. Oct. 1<sup>st</sup> 1819.

---

West Between Sec<sup>s</sup>. 18 & 19.

21.65 a Beech 16 in. dia.  
40.00 Set q<sup>r</sup>. Sec. post, from which

T8N R5E. 2<sup>d</sup>. Mer. Indiana

ch. Lhs.

- a Beech 10 in. dia. bears S 14 E 9 lbs. dist. 4  
 a No. 12 " " " N 5 W 24 " "  
 62.89 a Gum 24 " "  
 82.43 Intersected the W. boundary 2.08 lbs. North of post.  
 Set post Cor. to Secs. 18 & 19. from which  
 a Beech 18 in. dia. bears N 33 E 18 lbs. dist. 4  
 a No. 15 " " " S 55 W 20 " "  
 Broken 3<sup>rd</sup>. rate Land Beech Oak Gum Hickory  
 Undergrowth Dogwood Spice &c.
- 

North Between Secs. 17 &amp; 18.

- 29.00 a Poplar 32 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Sugar 10 in. dia. bears S 25 W 19 lbs. dist. 4  
 a Beech 8 " " " N 41 E 16 " "  
 62.70 a W. Ash 20 " "  
 80.00 Set post Cor. to Secs. 7, 8, 17 & 18. from which  
 a Beech 24 in. dia. bears N 25 E 18 lbs. dist. 4  
 a No. 15 " " " S 64 W 25 " "  
 Level 3<sup>rd</sup>. rate Land Beech Poplar &c. undg. Spice.
- 

East On Random between Secs. 8 &amp; 17.

- 140.00 Set temp. of. Sec. post  
 79.46 Intersected the N. & S. line 2.75 lbs. South of post  
 Rolling 3<sup>rd</sup>. rate Land Beech Oak Hickory Gum &c.  
 undergrowth Beech Spice &c.
- 

West Corrected between Secs. 8 &amp; 17.

- 39.73 Set of. Sec. post at average dist. from which  
 a W. Oak 20 in. dia. bears S 77 W 6 lbs. dist. 4  
 a No. 18 " " " S 74 E 49 " "  
 79.46 to Section Corner
-

T8N-R5E.2<sup>d</sup>. Mer. Indiana

487

Ch<sup>d</sup>. Lk<sub>7</sub>

West Between Sec<sup>s</sup>. 7 & 18.

24.80 a Beech 8 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 15 in. dia. bears S 65 E 16 lbs. dist. 4  
a No. 12 " " " N 52 E 55 " "

61.75 a Beech 20 " "

81.66 Intersected the W. boundary 2.25 lbs. N. of post  
Set post Cor to Sec<sup>s</sup>. 7 & 18. from which  
a Beech 6 in. dia. bears North 14 lbs. dist. 4  
a No. 6 " " " S 10 E 18 " "  
Rolling 3<sup>d</sup>. rate Land Beech Oak Hickory Poplar  
undergrowth Dogwood Spice &c.

---

North Between Sec<sup>s</sup>. 7 & 8.

19.75 a Beech 30 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. dia. bears S 16 E 21 lbs. dist. 4  
a No. 20 " " " North 21 " "

72.75 a Beech 24 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 5, 6, 7, & 8, from which  
a Beech 24 in. dia. bears N 45 W 13 lbs. dist. 4  
a No. 10 " " " S 82 E 23 " "  
Broken 3<sup>d</sup>. rate Land Beech Ash &c.  
undergrowth Dogwood Beech &c.

---

East On Random between Sec<sup>s</sup>. 5 & 8

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

77.94 Intersected the N. & S. line 2.36 lbs. S. of post  
Broken 3<sup>d</sup>. rate Land Beech Oak Hickory &c.  
undergrowth Ironwood Beech &c.

---

West Corrected between Sec<sup>s</sup>. 5 & 8.

39.97 Set q<sup>r</sup>. Sec. post at average dist. from which

S 8 N. R 5 E, 2<sup>nd</sup> Mer. Indianach<sup>d</sup>. Sta.

a Dogwood 4 in. dia<sup>r</sup>. bears S 87 E 7 lvs. dist. 4  
 a Beech 3 " " " N 65 W 13 " "

79. 94 to Section Corner

West Between Sec<sup>s</sup>. 6 & 7.31. 10 a Maple 12 in. dia<sup>r</sup>.40. 00 Set q<sup>r</sup>. Sec. post, from whicha Beech 15 in. dia<sup>r</sup>. bears S 32 E 3 lvs. dist. 4

a Hickory 30 " " " N 65 W 23 " "

52. 18 a Gum 18 " "

82. 00 Intersected the W. boundary 1.22. lvs. North of post.

Set a post Cor. to Sec<sup>s</sup>. 6 & 7. from whicha Gum 15 in. dia<sup>r</sup>. bears N 85 E 23 lvs. dist. 4

a B. Oak 30 " " " S 20 W 20 " "

flat wet Land Beech Maple Gum &c. underg<sup>r</sup>.

Spice Beech &amp;c.

North Between Sec<sup>s</sup>. 5 & 6.34. 25 a Poplar 48 in. dia<sup>r</sup>.40. 00 Set q<sup>r</sup>. Sec. post, from whicha Beech 18 in. dia<sup>r</sup>. bears S 34 E 18 lvs. dist. 4

a Do. 10 " " " N 5 W 25 " "

71. 50 a Sweet Gum 30 " "

82. 90 Intersected the N. boundary 1.88 lvs. East of post.

Set a post Cor. to Sec<sup>s</sup>. 5 & 6. from whicha Dogwood 5 in. dia<sup>r</sup>. bears S 87 E 18 lvs. dist. 4

a Do. 10 " " " West 5 " "

Broken 3<sup>d</sup>. rate land Beech Poplar Gum &c.Undergrowth Spice Dogwood &c. Oct. 2<sup>nd</sup> 1819.

Surveyed By Reuben C. F. Morris, D.S.

I Certify that the foregoing transcript of field notes of Township N. 8 North, of Range N. 5 East of 2<sup>d</sup> Mer. Indiana, has been Comp<sup>d</sup>. with the original notes in this Office, and found to be Correct.

Surveyor General's Office  
Cincinnati, March 12. 1842

Q. S. Paine  
Surv. Genl.